

## Compost or Manure Analysis

### Sustainable Soil Management with the Mikhail Balance System

<b>FILE NO :</b> 2202166862	<b>DATE ISSUED :</b> 1/03/2022
LANDTASIA ORGANIC FARMS P/L PO BOX 116  BUNGENDORE, NSW 2621	<b>DATE RECEIVED :</b> 18/02/2022
<b>SAMPLE ID :</b> 50026	<b>CLIENT ID :</b> LAN055
	<b>PHONE :</b> 02 6238 0565
	<b>REFERENCE :</b>
	<b>REFERENCE PHONE :</b>
	<b>ANALYSIS REQUIRED :</b> Total, Available & CEC

### CONTENTS:

	<i>page</i>
1. Analysis and NPK	2
2. Plant Available Nutrients	3
3. Exchangeable Cations & suggested amendments	4

## Analysis

ITEM	unit	RESULT
------	------	--------

### Basic Measures:

pH (1:5 Water)			8.11
pH (1:5 0.01M CaCl <sub>2</sub> )			7.71
Electrical Conductivity	EC	μS/cm	1400
TOTAL SOLUBLE SALT	TSS	ppm	4620

### Major Nutrients:

TOTAL NITROGEN	N	kg/t	14.4	(Major Nutrients in percentages)	1.44 %
TOTAL PHOSPHORUS	P	kg/t	3		0.3 %
TOTAL POTASSIUM	K	kg/t	11.6		1.16 %
TOTAL SULPHUR	S	kg/t	2.2		0.223 %

### Total Cations:

TOTAL CALCIUM	Ca	%	1.86
TOTAL MAGNESIUM	Mg	%	0.398
TOTAL SODIUM	Na	%	0.0666

### Trace Minerals:

TOTAL COPPER	Cu	ppm	33.8
TOTAL ZINC	Zn	ppm	133
TOTAL IRON	Fe	%	1.34
TOTAL MANGANESE	Mn	ppm	398
TOTAL COBALT	Co	ppm	3.4
TOTAL MOLYBDENUM	Mo	ppm	2.17
TOTAL BORON	B	ppm	26.4

### Carbon Content:

TOTAL ORGANIC MATTER		%	37.2
TOTAL ORGANIC CARBON		%	18.6
CARBON NITROGEN RATIO	C:N		12.9
MOISTURE CONTENT	MC	%	53.2

**Plant Available Nutrients**

ITEM		unit	RESULT
AVAILABLE CALCIUM	Ca	ppm	6080
AVAILABLE MAGNESIUM	Mg	ppm	1632
AVAILABLE SODIUM	Na	ppm	588.8
AVAILABLE NITROGEN	N	ppm	80.7
AVAILABLE PHOSPHORUS	P	ppm	736
AVAILABLE POTASSIUM	K	ppm	6669
AVAILABLE SULPHUR	S	ppm	90.9
AVAILABLE COPPER	Cu	ppm	12.3
AVAILABLE ZINC	Zn	ppm	90.1
AVAILABLE IRON	Fe	ppm	62
AVAILABLE MANGANESE	Mn	ppm	212
AVAILABLE COBALT	Co	ppm	1.34
AVAILABLE MOLYBDENUM	Mo	ppm	1.21
AVAILABLE BORON	B	ppm	5.37

Notes: These results represent the proportion of the Total nutrients (page 2) that will be immediately available for plant uptake.


ppm (parts per million) = mg/L (milligram per litre) = mg/kg (milligram per kilogram)  
1 % = 10,000 ppm

### Exchangeable Cations

EXCHANGEABLE CATIONS		RESULTS
CALCIUM	Ca meq/100g of sample	23.64
MAGNESIUM	Mg meq/100g of sample	10.58
SODIUM	Na meq/100g of sample	1.99
POTASSIUM	K meq/100g of sample	13.30
HYDROGEN	H meq/100g of sample	5.61
ADJ. EXCH. HYDROGEN	H meq/100g of sample	0
CATION EXCHANGE CAPACITY	CEC meq/100g of sample	55.12
ADJUSTED CEC	Adj.CEC meq/100g of sample	49.51
SATURATION BASE PERCENTAGE	BSP	92

meq = milliequivalent

EXCHANGEABLE CATION BALANCE	% OF ADJUSTED CEC	DESIRABLE
CALCIUM PERCENTAGE	47.75	65-70%
MAGNESIUM PERCENTAGE	21.37	12-15%
SODIUM PERCENTAGE	4.02	0.5-5%
POTASSIUM PERCENTAGE	26.86	3-5%
ADJ. HYDROGEN PERCENTAGE	0	<20%
CALCIUM / MAGNESIUM RATIO	Ca/Mg	2 - 4



### CATION BALANCE AMENDMENTS (For optimum effectiveness on application)

GYPSUM REQUIREMENT	5.0 kg/m <sup>3</sup>			
LIME REQUIREMENT	0.0 kg/m <sup>3</sup>			
DOLOMITE REQUIREMENT	0.0 kg/m <sup>3</sup>			
MAGNESIUM SULPHATE	0.0 kg/m <sup>3</sup>	OR	MAGNESIUM OXIDE	0.0 kg/m <sup>3</sup>

**NB. The effectiveness of the compost may be improved by mixing in the suggested materials (above) prior to application.**

## ANALYTICAL METHODS

Items	Methods
pH (1:5 Water)	4A1
pH (1:5 CaCl <sub>2</sub> )	4B1
Electrical conductivity (1:5 Water)	3A1
Total Soluble Salts	Calculation from Electrical conductivity
Total Nitrogen	Dumas method, 7A5
Total Calcium, Magnesium, Sodium, Potassium	Acid digestion, ICPAES
Total Phosphorus, Sulphur, Copper, Zinc, Boron	Acid digestion, ICPAES
Total Iron, Manganese, Cobalt, Molybdenum	Acid digestion, ICPAES
Exchangeable Calcium, Magnesium, Sodium, Potassium	15D3 or 15A1
Exchangeable Hydrogen	Barium Chloride-Triethanolamine method*
Available Nitrogen	Copper-cadmium reductor column at a pH of 8.0
Available Phosphorus	Olsen extractable, 9C2a
Available Sulphur	KCl 40, 10D1
Available Copper, Zinc, & Cobalt	EDTA, 12B1
Available Molybdenum	Ammonium Oxalate-Oxalic acid-di-iso propyl ether
Available Iron & Manganese	method of E.H. Mikhail (1981)
Available Boron	12C2
Total Organic Carbon	Method 6B3
Total Phosphorus, Calcium, Magnesium	Acid digestion

NB. For available Iron and Manganese, SWEP uses the method developed by E.H. Mikhail (1980) due to the tendency for the standard EDTA method to produce erroneously high results.

For numbered test methods:

Rayment, G.E. & Lyons, D.J. (2011). Soil Chemical Methods - Australasia. CSIRO Publishing, 150 Oxford Street, Collingwood Vic 3066, Australia.

\*Peech, M., Cowan, R.L. & Baker, J.H. (1962). Soil Science Society American Procedures, A critical study of the Barium chloride-

AQIS Approved Quarantine Site.

Victorian DPI accreditation to receive samples from PIZ and PCN infested zones.

**Disclaimer:** All results and/or recommendations in this report are made in good faith and are based on past and ongoing research by SWEP Pty Ltd. However, limitations such as the vagaries of climatic conditions mean that we cannot guarantee production of any crop by the use of this test and associated recommendations, and cannot be held responsible for any results obtained.