

## **Southern Cross University**

PO Box 157 Lismore NSW 2480 P: +61 2 6620 3678 E: eal@scu.edu.au www.scu.edu.au/eal

ABN: 41 995 651 524

## AS4454:2012 COMPOSTS, SOIL CONDITIONERS AND MULCHES REPORT

1 sample supplied by Landtasia Organic Farms on the 2 March, 2023 - Lab Job No. N8128. Analysis requested by David Tabner. **Job Ref: 50029 Windrow 5.** 

PO Box 116 BUNGENDORE NSW 2621

	Product Name:	Sample 1 50029 Windrow 5	Guideline
	Product Type:	Compost	
	Manufacturing Site:  Manufactured Date:	Landtasia 28/02/2023	AS4454:2012
	Test Code:	28/02/2023 CA-PACK-003	Composted Product
	Standard Applicable:	AS4454:2012	
Parameter	Method Reference	N8128/1	
Wet Bulk Density (kg/L)	AS4454:2012 Appendix J	0.76	
Dry Bulk Density (kg/L)	AS4454:2012 Appendix J	0.36	
Moisture Content (%)	AS4454:2012 Appendix I	53	> 25
На	AS4454:2012 Appendix B	7.36	> 5
Electrical Conductivity (dS/m)		1.15	< 10
Total Organic Carbon (%)		19.5	≥ 20
Total Carbon (%)	AS4454:2012 Appendix C	24.1	
Total Nitrogen (%)		1.46	≥ 0.8 see note 7
Carbon/Nitrogen Ratio	Calculation - Total Organic Carbon/Total Nitrogen	13.4	
Estimated Organic Matter (% OM)	Calculation - Total Organic Carbon x 1.7	33.2	
Ammonium Nitrogen (mg/L N)		3.6	< 200
Ammonium Nitrogen (mg/kg N)		18.2	
Nitrate Nitrogen (mg/L N)	A04454 0040 A I'. B B' Iv. INI. I i	36.6	
Nitrate Nitrogen (mg/kg N)	AS4454:2012 Appendix B Dissolved Nutrients	183.0	≥ 10 see note 7
Phosphate Phosphorus (mg/L P)		18.1	≤ 5 see note 7
Phosphate Phosphorus (mg/kg P)		90.3	
Ammonium/Nitrate Ratio	Calculation - Ammonium/Nitrate	0.10	< 3.0
Nitrogen Drawdown Index (NDI <sub>150</sub> )	AS4454:2012 Appendix O	>1.0	> 0.2
Total Calcium (%)		1.50	
Total Magnesium (%)		0.35	
Total Potassium (%)	AS4454:2012 Appendix D Total Salts	0.53	
Total Sodium (%)		0.07	<1 Na
Total Sulphur (%)		0.20	
Total Phosphorus (%)	AS4454:2012 Appendix D	0.37	≤ 0.1 P see note 10
Total Zinc (mg/kg)	AS4454:2012 Appendix D Total Metals	156	< 300 Zn
Total Manganese (mg/kg)		399	
Total Iron (mg/kg)		11,317	
Total Copper (mg/kg)		35.2	< 150 Cu
Total Boron (mg/kg)		22.7	< 100 B
Total Silicon (mg/kg)		2,556	
Total Aluminium (mg/kg)		6,104	
Total Molybdenum (mg/kg)	AS4454:2012 Appendix D Total Metals	2.58	
Total Cobalt (mg/kg)		4.89	
Total Selenium (mg/kg)		1.42	< 5 Se
Total Cadmium (mg/kg)	AS4454:2012 Appendix D Total Heavy Metals	<0.5	< 1 Cd
Total Lead (mg/kg)		14.5	< 150 Pb
Total Arsenic (mg/kg)		4.7	< 20 As
Total Chromium (mg/kg)		18.9	< 100 Cr
Total Nickel (mg/kg)		8.3	< 60 Ni
Total Mercury (mg/kg)		<0.1	< 1 Hg
Total Silver (mg/kg)		<1	





CRICOS Provider: 01241G Page 1 / 2



## **Southern Cross University**

PO Box 157 Lismore NSW 2480 P: +61 2 6620 3678 E: eal@scu.edu.au www.scu.edu.au/eal

ABN: 41 995 651 524

		Sample 1	
	Product Name:	50029 Windrow 5	Guideline
	Product Type:	Compost	
	Manufacturing Site:	Landtasia	AS4454:2012
	Manufactured Date:	28/02/2023	Composted
	Test Code:	CA-PACK-003	Product
	Standard Applicable:	AS4454:2012	
Parameter	Method Reference	N8128/1	
Polychlorinated Biphenyls (mg/kg)		<0.2 ND	< 0.2
Organochlorine Pesticides - DDT, DDD, DDE (mg/kg)	Sub** - SGS Laboratories SE244139 Pesticides and PCBs	<0.010 ND	< 0.5
Organochlorine Pesticides - Other (mg/kg) see note 9		<0.010 ND	< 0.02
Salmonella spp (Absent in 25 g)	Sub** - Symbio Laboratories B1278342 (M16.1 AS 5013.10)	ND	Absent in 25 g
E. coli (MPN/g DW)	Sub** - Symbio Laboratories B1278342 (M8.3 AS 5013.15)	<3.0 ND	< 100 MPN/g
Faecal Coliforms (MPN/g DW)		<3.0 ND	< 1000 MPN/g
Particle Size Grading > 16 mm Sieve (% DW)	AS4454:2012 Appendix G Particle Size Grading	0.9	see note 5
Particle Size Grading 5–16 mm Sieve (% DW)		17.9	see note 5
Particle Size Grading < 5 mm Sieve (% DW)		81.2	see note 5
Plastics Light Flexible or film > 5 mm (% DW)	AS4454:2012 Appendix I Visible Contaminants	<0.01	≤ 0.05
Stones and Lumps of Clay > 5 mm (% DW)		4.88	≤ 5
Glass, metal and rigid plastics > 2 mm (% DW)		<0.01	≤ 0.5
Wettability (min)	AS4454:2012 Appendix E	2m 18s	< 5
Plant Growth Test - Root Elongation (mm)	AS4454:2012 Appendix F	53	> 60
Viable Plant Propagules (7 days)	AS4454:2012 Appendix M	Nil	
Viable Plant Propagules (21 days)	AS4454:2012 Appendix M	NR	Nil after 21 days

## Notes:

- 1. Methods from AS4454:2012 Composts, soil conditioners and mulches.
- 2. Indicative guidelines are based on those in AS4454:2012 for raw mulches, pasteurized product, composted product, mature composts.
- 3. Total Acid Extractable Nutrients indicate a store of nutrients.
- 4. Conversions for 1 mg/kg = 1 ppm; 1 % = 10,000 ppm; kg/ha = mg/kg x 2.24.
- 5. Coarse Mulch > 70% >16mm, Fine Mulch <20% >16mm and <20% <5mm, Soil Conditioner <20% >16mm.
- 6. The chloride calculation of CI mg/L = EC x 640 is considered an estimate, and most likely an over-estimate.
- 7. Guide only to be used if a product claims to contribute to plant nutrition.
- 8. The full test observes the potential growth of viable plant propagules in a 21 day test period. In order to pass there should be Nil after 21 days
- 9. Other Organochlorines include: Aldrin, Dieldrin, Chlordane, Heptachlor, HCB, Lindane, BHC Other Organophosphorus include: Guthion, Bromophos-ethyl, Chlorpyriphos, Chlorpyriphos-methy, Diazinon, Dichlorvos, Dimethoate, Ethion, Fenitrothion, Malathion, Parathion, Ronnel.
- 10. Guide only to be used if a product claims to be used for phosphorus sensitive plants.
- 11. < LOR Less than limit of reporting. ND Not detected. NA Not applicable. NR Not required.
- 12. All testing has been done so in accordance with AS4454:2012 as a Composted Product.
- 13. Testing completed in a NATA accredited laboratory.
- 14. Analysis conducted between sample arrival date and reporting date.
- 15. This report is not to be reproduced except in full. Results only relate to the item tested.
- 16. All services undertaken by EAL are covered by the EAL Laboratory Services Terms and Conditions (refer <a href="SCU.edu.au/eal/t&cs">SCU.edu.au/eal/t&cs</a> or on request).
- 17. This report was issued on 22/03/2023.

Quality Checked: Brian Smith Compost & Landscape Soils Co-ordinator





CRICOS Provider: 01241G Page 2 / 2